



# *COMPANY PROFILE & CATALOUGE*


*For more details about ASIAN WOOD and our product, please visit our website at:  
<https://asianwood.vn/>*

# *ABOUT US*

Established in 2012, ASIAN WOOD started business as a local family factory with 3 production line which support packing plywood for local packaging industry. After 10 years of developing, we proudly supply our customers with wide range high quality products as : packing plywood, commercial plywood, film faced plywood and LVL.

By our business experience and acumen, we are now supply both domestic market and oversea market with competitive price, generate value to our clients.

As a reputable and reliable plywood supplier located in Vietnam, our goal is bringing satisfaction with greatest profit to our valued customers.



We are welcome business partners from all over the world, co-operate for a win-win achievement !

*For more details about ASIAN WOOD and our product, please visit our website at:  
<https://asianwood.vn/>*

# OUR PRODUCTS

**Commercial plywood** from ASIAN WOOD factory has excellence quality which can be applied for interior design, furniture making or high class packaging.

**Size available** : 2440 x 1220mm (8x4 ft') , 1830 x 915mm (6x3 ft')

**Thickness** : from 5mm to 24mm

**Main material** : mixed hardwood

**Top and bottom** : Bintangor, Okoume, Sapele, Keruing,...

**Grade** : 2 times hot press with 1 time cool press grade AB

**Formaldehyde emission standard** : E2 / E1 / E0



**Packing plywood** from ASIAN WOOD factory has durable quality which can be applied for pallet base, plywood box, good stocking purpose, packaging industries.

**Size available** : 2440 x 1220mm (8x4 ft') , 1830 x 915mm (6x3 ft')

**Thickness** : from 2mm to 24mm

**Main material** : mixed hardwood

**Top and bottom** : Bintangor, Okoume and Styra,...

**Grade** : 1 time hot press grade AB and BC

**Formaldehyde emission standard** : E2

# OUR PRODUCTS

**Film faced plywood** from ASIAN WOOD factory has passed 12 hours boiling with reuse able time from 8 to 10 times for construction uses.

**Size available** : 2440 x 1220mm (8x4 ft')

**Thickness** : 12mm , 15mm , 18mm

**Main material** : full hardwood

**Top and bottom** : Black film , brown film 1 side and 2 sides

**Grade** : 2 times hot press with 1 time cool press grade

**Formaldehyde emission standard** : E2 / E1 / E0



**LVL plywood** from ASIAN WOOD factory has less core gap, very few hole with outstanding flexibility and strength, which provide higher pallet loads.

**Size available** : cut to size as requirement

**Thickness** : from 11mm to 110mm

**Main material** : mixed hardwood

**Top veneer** : Acacia

**Grade** : 1 time hot press with 1 time cool press grade

**Formaldehyde emission standard** : E2

*For more details about ASIAN WOOD and our product, please visit our website at:  
<https://asianwood.vn/>*



**Office :** 134 Trung Kinh street, Yen Hoa ward, Cau Giay district, Hanoi, Vietnam

**Factory 1 :** Dinh Xuyen, Gia Lam, Hanoi

**Factory 2 :** Tan Tien, Thanh Son, Phu Tho

**Website :** <https://asianwood.vn/>

**Email :** [asianwood68@gmail.com](mailto:asianwood68@gmail.com) / [sales.asianwood@gmail.com](mailto:sales.asianwood@gmail.com)

**Hotline :** +84 8 6651 6698 (Whatsapp, Line)

*For more details about ASIAN WOOD and our product, please visit our website at:  
<https://asianwood.vn/>*